TEXAS OIL & GAS CORP.

1800 LINCOLN CENTER BUILDING DENVER. COLORADO 80264

TELEPHONE (303) 861-4246



April 2, 1980

DIVISION OF OIL, GAS & MINING

U. S. Geological Survey 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

Attn: Mr. Ed. Guynn

RIG SKID

Re: Harvey Federal 1-X Section 5-T16S-R25E Grand County, Utah

Dear Mr. Guynn:

Enclosed please find the original and one copy of the Well Completion Report and Log for the above referenced well. Please note the "Tight Hole" status of this well.

If there are any questions concerning this matter, please advise.

Sincerely,

TEXAS OIL & GAS CORP.

Buckard

Virginia Burchard Production Secretary

/vb Enclosures (2)

cc: State of Utah
Division of Oil, Gas & Mining
1588 West North Temple
Salt Lake City, Utah

Form approved.	
Budget Bureau	No. 42-R355.5.

T-13-80			GE	OLOGICA	u surve	A) B	a de me		U-10427	· · · · · · · · · · · · · · · · · · ·
TYPE OF COMPLETION: STATE OF COMPLETION: S	WELL CO	MPLETI	ON C	R RECOM	PLETION	REPORT	AND LO	G *	IF INDIAN,	ALLOTTEE OR TRIBE NAM
TYPE OF COMPLETION: THE OF COMPLETION: THE OWNER DEEP DATE PLOSE DEEP DATE DATE DEEP DATE SHOWN DEEP DEEP DEEP DEEP DEEP DEEP DEEP DEE	a. TYPE OF WEL	L:		GAS X	🗍	Other			UNIT AGREE	MENT NAME
NAME OF OPERATOR TRANS OF OPERATOR RANGE OF OPERATOR TRANS OLI & GAS COTP. ADDRESS OF OPERATOR 18.00 Lincoln Center Bldg., Denver CO '80264 LICATIONS OF WELL (Report location clearly and is accordance with any State requirements)* At top prod. Interval reported below At total dopth At total d	h TYPE OF COM	PLETION:	WELL	WELL I	DRY	Otner	:	"	CMIL AUGED	MBNI NAMB
Texas of operators Texas of operators 1800 Lincoln Center Bldg., Denver CO '80264 Lacknows or will, (Report loaders clearly and in accordance with any state requirements): At surface 1250' FSL, 2165' FEL At top prod. interval reported below At total depth At total depth At total depth As above RELEASE DETINATION 10 PART ST. BEACHED 17. DATE COMPT. (No. 0) A SWART ST. BEACHED 17. DATE COMPT. (NO. 0) A SWART ST. BEACHED 17. DATE COMPT. (NO. 0) A SWART ST. BEACHED 17. DATE COMPT. (NO. 0) A SWART ST. BEACHED 17. DATE COMPT. (NO. 0) A SWA	NEW X	WORK	DEEP-	PLUG		Othor -		8.	FARM OR LI	BASE NAME
1800 Lincoln Center Bldg., Denver CO 80264 1800 Lincoln Center Bldg., Denver CO 80264 1250' FSL, 2165' FEL At top prod. interval reported below At surface 1250' FSL, 2165' FEL At top prod. interval reported below As above RELEASE DATE: 1.5. PEL BATATOO ROAD ROA			EN :	BACK C	LESVR.	Other R	IC CVI			
1800 Lincoln Center Bldg., Denver CO 80264 LOCATION OF WILL (Report location clearly and in accordance with any State requirements)* 1250' FSL, 2165' FEL At top prod. Interval reported below At total depth At top prod. Interval reported below At total depth As above RLEASE DATE OF THE CONTROL (Report)			Corp.			# 4/	id onli			'ederal
LICATION OF WELL (Report bootion clearly and in accordance with one State requirements)* At surface 1.250' FSL, 2165' FEL At top prod. Interval reported below At total depth As above RELEASE DATE: 1.250' FSL, 2165' FEL As above RELEASE DATE: 1.250' FSL, 2165' FSL, 2165' FEL As above RELEASE DATE: 1.250' FSL, 2165' FSL,	. ADDRESS OF OPER	RATOR						1		<u> </u>
At top prod. Interval reported below At top prod. Interval reported below At top prod. Interval reported below At total depth As above RELEASE DATE STUDIES 14. FERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. FERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. PERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. PERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. PERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. PERMIT NO. DATE ISSUED 12. COUNST OR 13. STATE PARKED 14. PERMIT NO. DATE ISSUED 15. CASHOR BED 15. CA								10	. FIELD AND	POOL, OR WILDCAT
At top prod. Interval reported below As above Release Differed Relow As above Differed R		LL (Keport	tocation c	ieariy and in ac	cordance with (iny State requi	rements)*			
At total depth As above RELEASE MELLONGO 14. PREMITY NO. DATE INSUED 12. COUNTY OR PARISH 13. STATE PARISH NO. DATE STUDDED 16. BARE 71. REACHES 11. SATE 95. (Right for prof.) 18. ELEVATIONS (OF, RE. S. R. C., R. C.)* 10. LITER 11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	are surrace		1250'	FSL. 2165	' FET.		4	. 1:		, M., OR BLOCK AND SURVE
1-13-80 1-30-80 3-27-80 7672' GR 7672' GR 7672' GR 7672' GR 7680 7672' GR 7670-6780' 77020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020'	At top prod. into			—• ————		1	-04	}	:	
1-13-80 1-30-80 3-27-80 7672' GR 7672' GR 7672' GR 7672' GR 7680 7672' GR 7670-6780' 77020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020' 77060' 7020'	At total depth					ida in Maria Para di Tanana	20017		Section	5-T16S-R25E
1-13-80 1-30-80 3-27-80 7672' GR 70704 DEPTH NO 17020' 7020'					14. PERMIT N	0. 7 pA	DATE ISSUED		COUNTY OF	1 13 STATE
1-13-80 1-30-80 3-27-80 7672' GR 70704 DEPTH NO 17020' 7020'	As above	RF	FAS	FINTER	Indian	1130			PARISH	- /
1-13-80	DATE SPUDDED	16. DATE	T.D. REAC	HED 17. DATE	COMPL (Ready	to prod.)	9-30-79			
TOTAL DEPTH. MD & TVD \$1. FLUG. BACK I.B., MD & TVD 22. IF MULTIPLE COMPL. 23. INTERVIAL DEPTH SET (MD MM NY* MW NY*	1-13-80			i .					1	
7060' 7020' 7020' 7020' 7020' 7020' 25. WAS DIRECTIONAL SURVEY MADE (SINGE INTERVAL(S), or PIRS COMPLETION—TOP, BOTTOM, NAME (MD AND TTD)' 25. WAS DIRECTIONAL SURVEY MADE SURVEY MADE (ASS-6404', 6447-6455', 6537-6554', Dakota No 715					VD 22. IF M		, 23. INT	ERVALS B	OTARY TOOLS	CABLE TOOLS
PRODUCTION PRESSTREE CHORE SIZE FROD'N, PARKER SET (MD) SIZE SAS DEFER SET (MD) PACKER S	7060'		7020	•	How	MANY*	DRI		-7060!	
AMOUNT PULLED NO NO NO NO NO NO NO N	PRODUCING INTER	VAL(S), OF			BOTTOM, NAME	(MD AND TVD)		10	-7000	
CNI_SNP_GR, (Induction CASING RECORD (Report all strings set in well) No No No No No No No N	6385-6404	644	7-6455	', 6537-6	554'. Dak	ota :				SURVEY MADE
CASING RECORD (Report all strings set in well) CASING RECORD (Report all strings set in well) CASING SIZE WRIGHT, DA/FT. DEPTH SET (MD) HOLE SIZE CEMENTING RECORD AMOUNT PULLED				,	,		2.5			NO
CASING RECORD (Report all strings set in sell) 10 3/4"	TYPE ELECTRIC A	ND OTHER	LOGS RUN				- : ::	· · · · · · · · · · · · · · · · · · ·	2	
CASING RECORD (Report all strings set in well) 10 3/4" 40.5# 266' 15" 325 SXS	CNL-SNP-G	R, Ind	uction							No
10 3/4" 40.5# 266' 15" 325 SXS -				CASIN	G RECORD (R	eport all string	s set in well)			
Top (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEFTH SET (MD) FACKER SET (MD)	CASING SIZE	WEIGH	T, LB./FT.	DEPTH SET	(MD)	iole size	CE	MENTING REC	ORD	AMOUNT PULLED
LINER RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) PERFORATION RECORD (Interval, size and number) 5400', 6385', 6388', 6391', 6394', 6397', 6400', 6403', 6484', 6451', 6454', 6538', 6541', 6544', 6553', 6448', 6451', 6454', 6538', 6541', 6544', 6553', 6448', 6451', 6454', 6538', 65771', 6775', 6779' 3 holes 3/8" FRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FRODUCTION FRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FRODUCTION FRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) FRODUCTION TEST HOURS TESTED CHOKE SIZE PRODIN. FOR TEST PERIOD TONE TEST PRODUCTION OF OLD PRODUCTION ON TEST PRODUCTION OF OLD PRODUCTION ON TEST PRODUCTION OF OLD PRODUCTION ON TEST PROD		40.	5#	266 '	1	5"	325	sxs		-
LINER RECORD SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT' SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) 2 3/8" 6518' None FERFORATION RECORD (Interval, size and number) 3382', 6385', 6388', 6391', 6394', 6397', 6400', 6403', 6448', 6451', 6454', 6538', 6538', 6564', 6550', 6553', 65541', 6544', 6547', 6550', 6553', 6553', 6447-6455', 6447-6455', 6447-6455', 6770-6780' 5771', 6775', 6779' 3 holes 3/8" FRODUCTION + 128,700 1b sand. FRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shuf-in) SI FRO OF TEST HOURS TESTED CHOKE SIZE FROD'N FOR DIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO SI THE OF TEST HOURS TESTED CHOKE SIZE FROD'N FOR DIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO NONE 100 100 100 100 600 100 600 100 100 100		26.	4#	2820'	9	7/8"	150	SXS		
SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) PERFORATION RECORD (Interval, size and number) 32. ACID. SHOT, FRACTURE, CEMENT SQUEEZE, ETC. 382', 6385', 6388', 6391', 6394', 6397', 3640', 6403', 6448', 6547', 6550', 6553', 3541', 6544', 6547', 6550', 6553', 3771', 6775', 6779' 3 holes 3/8" 382' ACID. SHOT, FRACTURE, CEMENT SQUEEZE, ETC. 385-6404', 12 bbls 7½% HCl. 385-6404', 12 bbls 7½% HCl. 39,000 gal 2% KCl + 80 tons 39,000 gal 2% KCl + 80 tons 400' FIRST PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) 39,000 gal 2% KCl + 80 tons 401 FIRST PRODUCTION HETHOD (Flowing, gas lift, pumping—size and type of pump) 302 FIRST PRODUCTION SIZE TESTED CHOKE SIZE TEST PERIOD NONE 50 NONE 303-27-80 2 1/2" TEST PERIOD NONE 50 NONE 304-400R RATE OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO NONE 50 NONE 305-27-80 2 1/2" SIZE CALCULATED OIL—BBL. GAS—MCF. OIL—BBL. GAS—MCF. OIL GRAVITY-API (CORR.) 305-27-80 2 1/2" SIZE CALCULATED OIL—BBL. GAS—MCF. OIL GRAVITY-API (CORR.) 305-27-80 2 1/2" SIZE CALCULATED OIL—BBL. GAS—MCF. OIL GRAVITY-API (CORR.) 306-28-MCF. OIL GRAVITY-API (CORR.) 307-28-28-MCF. OIL GRAVITY-API (CORR.) 308-28-MCF. OIL GRAVITY-API (CORR.) 309-28-MCF. OIL GRAVITY-API (C	4 1/2"	11.	6#	7060'	6	1/2"	130	SXS	$gr = g^{\dagger}$	_
SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD) PERFORATION RECORD (Interval, size and number) 32 ACID. SHOT, FRACTURE, CEMENT SQUEEZE, ETC. 382', 6385', 6388', 6391', 6394', 6397', 3640', 6403', 6448', 6451', 6454', 6538', 5541', 6544', 6547', 6550', 6553', 17 holes 3/8" 182 ACID. SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 447-6455', 6447-6455', 6770-6780' Same as above 39,000 gal 2% KCl + 80 tons PRODUCTION # 128,700 lb sand. SI SI 3-27-80 2 1/2" — None 50 none 50 none 50 none 50 PRODUCTION # 100 GAS MINING DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented LIST OF ATTACHMENTS Drilling & Production on application of a Mining ASS & MINING Drilling & Production on application on application on application of a Mining ASS & MINING Drilling & Production on application on application on application of a Mining ASS & MINING Drilling & Production on application of a Mining ASS & MINING Drilling & Production on application of a Mining ASS & MINING Drilling & Production on application on application of a Mining ASS & MINING Drilling & Production on application of a Mining ASS & MINING Drilling & Production on application of a Mining Ass & Mining As	···						<u> </u>		·	
PERFORATION RECORD (Interval, size and number) 32 3/8" 6518' None 2 3/8" 6518' None 3 382', 6385', 6388', 6391', 6394', 6397', 6593', 6400', 6403', 6448', 6451', 6454', 6538', 6385'-6404', 12 bbls 7½ HCl 4 12 bbls 7½ HCl 4 447-6455', 6770-6780' Same as above 39,000 gal 2% KCl + 80 tons 4 647-6455', 6770-6780' Same as above 39,000 gal 2% KCl + 80 tons 4 128,700 1b sand. 4 128,700 1b sand. 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, , , , , , , , , , , , , , , , , , ,	mon (im						TUB	ING RECOR	RD .
PERFORATION RECORD (Interval, size and number) 75382', 6385', 6388', 6391', 6394', 6397', 6400', 6403', 6448', 6451', 6454', 6538', 6385'-6404', 6544', 6547', 6550', 6553', 6447-6455', 6770-6780' 75400', 6403', 6448', 6451', 6454', 6538', 6385-6404', 12 bbls 7½% HCl 75400', 6770', 6770' 3 holes 3/8" 7571', 6775', 6779' 3 holes 3/8" 7571', 6775', 6779' 3 holes 3/8" 75721', 6775', 6770', 6775', 6770', 6770', 6770', 6770', 6770',	5125	TOP (MD	, во	TTOM (MD)	SACKS CEMENT	SCREEN (M				PACKER SET (MD)
PERFORATION RECORD (Interval, size and number) 5382', 6385', 6388', 6391', 6394', 6397', 5400', 6403', 6448', 6451', 6454', 6538', 5541', 6544', 6547', 6550', 6553', 7571', 6775', 6779' 3 holes 3/8" 56770-6780' Same as above 39,000 gal 2% KCl + 80 tons FRODUCTION + 128,700 lb sand. FRODUCTION # 128,70				····		_	2 3/	8" 6	518'	None
1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 1 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable. Case Minning 2 hereby certify that the foregoing and attached information is complete and correct as determined from applicable case and the production of the production o	· .	ORD (Inter	val. size a	ind number)		1 80	A GYP GYYOF			
ANOUNT AND KIND OF MATERIAL USED 5400', 6403', 6448', 6451', 6454', 6538', 5541', 6544', 6547', 6550', 6553', 17 holes 3/8" 5771', 6775', 6779' 3 holes 3/8" FRODUCTION	382 ', 6385	', 638	8', 63	91', 6394	', 6397',	ļ				
1.7 holes 3/8" 1.7 holes 3/8"								-		····
6770-6780' Same as above 39,000 gal 2% KCl + 80 tons PRODUCTION + 128,700 lb sand. PRODUCTION HETHOD (Flowing, gas lift, pumping—size and type of pump) PRODUCTION + 128,700 lb sand. PRODUCTION HELD (Flowing, gas lift, pumping—size and type of pump) SI THE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR TEST PERIOD NONE TEST PERIOD NONE TO NONE TEST PERIOD NONE TO NO. I hereby certify that the foregoing and attached information is complete and correct as determined from application to none TO NONE TO NO. Drilling & Production NI GAS & MINING			7', 65	50', 6553	L.,			12 bb.	LS /5% H	ICT
Same as above 39,000 gal 2% KCl + 80 tons PRODUCTION + 128,700 lb sand. PRODUCTION + 128,700 lb sand. PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) SI B-27-80 2 1/2" PROD'N. FOR OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO B-27-80 2 1/2" NONE SOLD BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO ONE TO TEST WITNESSED BY WELL STATUS (Producing or shut-in) SI GAS—MCF. WATER—BBL. GAS-OIL RATIO ONE TO TEST WITNESSED BY Vented LIST OF ATTACHMENTS Test WITNESSED BY PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) NELL STATUS (Producing or shut-in) SI GAS—MCF. GAS—MCF. OIL GRAVITY-API (CORR.) TEST WITNESSED BY Vented Drilling & Production OIL—GAS & MINING		•				, 		·	**************************************	·
PRODUCTION + 128,700 1b sand. PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) SI SI S-27-80 2 1/2" NONE 50 NONE CASING PRESSURE CALCULATED 24-HOUR RATE O 600 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented LIST OF ATTACHMENTS PRODUCTION + 128,700 1b sand. WELL STATUS (Producing or shut-in) SI NONE 50 NONE O 600 TEST WITNESSED BY Vented Drilling & Production OIL GAS & MINING	5 771', 6775	', 6779	9' 3	holes 3/8				39, 000	gol 28	VC1 + 90 +one
PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) SI TE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO 3-27-80 2 1/2" none 50 none — W. TUBING PRESS. CASING PRESSURE CALCULATED OIL—BBL. GAS—MCF. O 100 100 24-HOUR RATE 0 600 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented LIST OF ATTACHMENTS Drilling & Production OIL—GAS & MINING Drilling & Production OIL—GAS & MINING	*	· · · · · · · · · · · · · · · · · · ·			PR		s above			
SI THE OF TEST HOURS TESTED CHOKE SIZE PROD'N. FOR OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO 3-27-80 2 1/2" TEST PERIOD NONE 50 NONE —— W. TUBING PRESS. CASING PRESSURE CALCULATED OIL—BBL. GAS—MCF. LOO 100 0 600 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented LIST OF ATTACHMENTS TEST WITNESSED BY Drilling & Production OIL—GAS & MINING Drilling & Production OIL—GAS & MINING	TE FIRST PRODUCT	ION	PRODUCTI	ON METHOD (FI	owing, gas lift,	pumping—size	and type of pu	mp)	WELL ST	FATUS (Producing or
HOURS TEST HOURS TESTED CHOKE SIZE PROD'N. FOR OIL—BBL. GAS—MCF. WATER—BBL. GAS-OIL RATIO 3-27-80 2 1/2" TEST PERIOD NONE 50 NONE — WATER—BBL. GAS-OIL RATIO NONE 100 NONE				الوالوس مالمال	ores services se				8hut-i	
3-27-80 2 1/2" — none 50 none — DW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE 0 100 600 DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented LIST OF ATTACHMENTS TEST WITNESSED BY Drilling & Production OIL GAS & MINING Drilling & Production OIL GAS & MINING	TE OF TEST	HOURS T	ESTED	CHOKE SIZE		OIL-BBL.	GAS-M	CF. W	ATER-BBL.	
Vented I hereby certify that the foregoing and attached information is complete and correct as determined from a NIMING Drilling & Production OIL GAS & MINING	3-27-80				—	none	50		none	
Vented LIST OF ATTACHMENTS TEST WITNESSED BY Vented LIST OF ATTACHMENTS Test WITNESSED BY Drilling & Productionoll, GAS & MINING					OIL—BBL.	1 .		161 G	. 0	OIL GRAVITY-API (CORR.)
Vented LIST OF ATTACHMENTS I hereby certify that the foregoing and attached information is complete and correct as determined from applying records Drilling & Production Oil, GAS & MINING					0	60	0	INDU	9 gapa	
I hereby certify that the foregoing and attached information is complete and correct as determined from applying records Drilling & Production Oil, GAS & MINING		as (Suia, u	seu jor jue	, ventea, etc.)				TE , TE		
. I hereby certify that the foregoing and attached information is complete and correct as determined from applying Networds Drilling & Production Oil. GAS & MINING		MENTS					<u> </u>	API	(BOATHEN	RO
Drilling & Production OIL, GAS & MINING	axaca:				* :		e e e	·		
Drilling & Production OIL, GAS & MINING	. I hereby certify	that the f	oregoing o	nd attached in	Ormation !-	anloto		. 3 A. EPH	WICHON C)F
SIGNED Y. W. Walls TITLE Manager 3-31-80	-	11	/ /	actached IIII	~~marion 18 COD	upiete and corr Drilline	ect as determin	ea from all	CAC 2. MI	ords NING
	SIGNED	u.7	arelo		_ TITLE _	Manager	« Product	TOUOIL,	מער ע פער וואו אם פיער	3-31-80

INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35. General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. pursuant to applicable Federal and/or State laws and regulations.

Consult local State Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

or Federal office for specific instructions.

ten 18. Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

tens 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing nterval. or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. nterval, or

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

19: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

19: "Sacks Cementing and the location of the cementing form for each interval to be separately produced. (See instruction for items 22 and 24 above.) GEOLOGIC MA 38. TESTS, INCLUDING 37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DAILL-STEM I DEPTH INTERVAL TESTED, CUBHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

	TRUB VBRT, DRETHE
lo _a	6310' 6366' 6382' 6424' 6514' 6555'
8 7 7 7	Dakota Silt Dakota Ist SanArroyo Ss 2nd SanArroyo Ss 5th SanArroyo Ss Buckhorn Morrison Salt Wash
	e ja eki ti ali di dika 1900 da ja satu terena ke sa ka ana a satu terena ke sa ka ana a satu terena ke sa ka Barangan ke satu terena ke satu ter
DESCRIPTION, CONTENTS, ETC.	
BOTTOM	
TOP	
FORMATION	

FILE IN TRIPLICATE FORM OGC-8-X

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING 1588 West North Temple Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

RIG SKID

Well Name & Number Harvey Federal 1-X	
	• .
Operator Texas Oil & Gas Corp. Address 1800 Lincoln Center, Denver, CO 8026	4
Contractor Veco Drilling, Inc. Address P.O. Box 1705, Grand Junction, CO 81	501
Location SW 4 SE 4 Sec. 5 T. 16S R. 25E County Grand	
Water Sands	
Depth Yolume Quality	
From To Flow Rate or Head Fresh or Salty	
1. 500 Mist	
2	
3	
4.	
5	
(Continue of reverse side if necessary)	
Formation Tops	
Remarks Drilled with air from 266' to 500'. Air mist from 500' to 2820'. Air from 2820' to 7060'. Rest of hole drilled with mud.	
NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.	
(b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.	

December 23, 1980

Texas Oil & Gas Corporation 1800 Lincoln Center Building Denver, Colorado 80264

> RE: Well No. TXO Harvey Federal #1-* Sec. 5, T. 16S, R. 25E., Grand County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office March 31, 1980, from above referred to well indicates the following electric logs were run: CNL-SNP-GR, Induction. As of todays date this office has not received the CNL-SNP-GR log.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed win the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

BARBARA HILL WELL RECORDS

/bjh

Enclosures: Forms

** FILE NOTATIONS **

RIG SKID evas dilt Das corp. WELL NO: Harvey Federal # 1-X _T. <u>165</u> R. <u>258</u> County:___ Location: Sec. File Prepared: Entered on N.I.D: Card Indexed: / Completion Sheet: / 30574 Ufer alex 43-019-30762) CHECKED BY: Petroleum Engineer:____ Director: Administrative Aide: APPROVAL LETTER: Bond Required: / Survey Plat Required: / 0.K. Rule C-3 Order No.____ Rule C-3(c), Topographic Exception - company owns or controls acreage within a 660' radius of proposed site Lease Designation / Plotted on Map

Approval Letter Written

Hot Line

Form 9-331 Dec. 1973

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

955g34.

 Form Approved.
Budget Bureau No. 42-R142

UNITED STATES	Budget Bureau No. 42-R1424
	5. LEASE
DEPARTMENT OF THE INTERIOR	U - 10427
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	
	8. FARM OR LEASE NAME
1. oil gas Lease Gas Production well other Line	Harvey Federal 9. WELL NO.
2. NAME OF OPERATOR	#1-X
TXO Production Corp.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	San Arroyo
1800 Lincoln Center Bldg., Denver, CO 80264	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA Sec. 5-T16S-R25E
AT SURFACE: 1250' FSL, 2140 FEL, Sec.5-T16S-R25	E12 COUNTY OR PARISH 13 STATE
AT TOP PROD. INTERVAL: Same	
AT TOTAL DEPTH: Same	Grand Utah Utah 14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 7672' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING 🗌	change on Form 9–330.)
MULTIPLE COMPLETE	
CHANGE ZONES	
(-11)	
(other) Operator Name Change ——	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner	irectionally drilled, give subsurface locations and
Effortive Contember 1 1001 The contember	and madestine satisfies of
Effective September 1, 1981, The exploration Texas Oil & Gas Corp, have been reorganized	
Production Corp. As a consequence, the open	
"TXO Production Corp.", as indicated above i	n Tham 2
/ as material above 1	11 1 Call 20
	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Charles K. Curles TITLE Environmental	Adm pate
(This space for Federal or State of	ice use)

_ DATE _

_ TITLE .



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

090303

Aug.25, 1986

Well File

FROM: Mary Alice Peterson

RE: API Number for The TXO Harvey Federal #1 Well:

Operator, Texas Oil & Gas Corp., located 16S 25E sec.

5 Grand County

This well was originally assigned the API number 43-019-30574. The well was a rig skid and the API no. was left with the new well (The Harvey Federal #1-X). The Harvey Federal #1 well was issued a new number, 43-019-30762 because the Harvey 1-X has production and is being reported by the operator under the old API number. The new number was not properly recorded and subsequently two other numbers were assigned to this well and then cancelled and assigned to new rells when it was discovered a valid number was already assigned to the well. The two numbers that are not valid but may at sometime come up are 43-019-31230 and 43-019-20413. These numbers were both Lofy of letter of Feed #1 the Howey Feed #1 the in cancelled and reassigned to other wells.

map 0176S 40

an equal opportunity employer



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ● (801-538-5340)

Operator name and address:

Page	1	nf	5	



MONTHLY OIL AND GAS PRODUCTION REPORT

TXO PRODUCTION CORP.	•			Utah Account No	11580
P. O. BOX 2690					
CODY WY	82414			Report Period (Month	/Year) 12 / 90
ATTN: R. P. MEABON					
				Amended Report	
	,				
Well Name	Producing	- 1	Production Volume		
API Number Entity Location	Zone	Oper	Oil (BBL)	Gas (MSCF)	Water (BBL)
BOOK CLIFFS UNIT 1 <i>U-037005</i> 4301915410 06665 18S 22E 32	DKTA	`	Need successor to	Unit Open. CTXO-	to Murathon)
BOOK CLIFFS U #3	DKTA				
LITTLE BERRY ST #1 mL-19905-B 4301931075 06666 16S 23E 2	BUKHN	•			
NICOR FEDERAL #1 4-31807 4301930656 06667 16S 25E 28	DKTA				·
		<u> </u>	· · · · · · · · · · · · · · · · · · ·		
LAUCK #2 U-34033 4301931109 06668 16S 25E 29 BMG FEDERAL #2 U-05015	MRSN			•	
<u>₩</u> 201931108 06669 16S 26E 8	DKTA				
6 LISTER FEDERAL #1 1/38363 4301930857 06671 16S 24E 24	DK-MR				
ARCO FEDERAL B-1	DKTA				
ARCO FEDERAL C-1 U-6/88-B				ζζ	
4301930572 06680 16S 25E 35	DKTA				
BMG FEDERAL #3 <u>μ-05015-A</u> 4301931114 06681 16S 26E 18	DK-BK				
HARVEY FEDERAL 1-X <u>U-lo427</u> 4301930574 06685 16S 25E 5	DK-MR				
HOUGEN FED. A #1-ST #1 <i>U_43486</i> 4301930799 06686 17S 24E 14	MRSN				
LAUCK FED A-1 <i>U-34033</i> 4301930990 06687 16S 25E 29	DKTA				
		1			
~	Т	OTAL		<u> </u>	<u> </u>
Comments (attach separate sheet if nece	essary)				
				·	
•					
I have reviewed this report and certify the	information	to be	accurate and complete.	Date	
				Telephone	
Authorized signature				10.0pilotic	
			•		





P.O. Box 2690 Cody, Wyoming 82414 DIVISION OF Telephone 307/587-496 OIL. GAS & MINING

rug DRN ce R Furth

January 22, 1991

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

UTAH DIVISION OF OIL, GAS & MINING 3 Triad Center, Ste. 350 Salt Lake City, UT 84180-1203 Attention: State Director

Re: The Merger of TXO Production Corp. into Marathon Oil Company

Gentlemen:

As Marathon Oil Company advised in its October 8, 1990 letter, TXO Production Corp., a Delaware corporation ("TXO") was being merged into Marathon Oil Company, an Ohio corporation ("Marathon"), on or before January 1, 1991. As stated in the October letter, before this merger, both TXO and Marathon were subsidiaries of USX Corporation.

Effective January 1, 1991, TXO was merged into Marathon, with Marathon becoming the surviving corporation, as evidenced by the enclosed Certificate of Merger signed by the Secretary of State for the State of Ohio. Due to this statutory merger, by operation of law, Marathon, as the surviving entity, has succeeded to all of the assets, property, rights, privileges, power and authority, and has assumed all obligations and liabilities of TXO which existed on the date of the merger.

Marathon requests that your records and filings be changed to reflect this merger, including making any appropriate change in your operator or ownership records. For the purposes of any change, mailing or notification, please substitute the following address and phone number for TXO:

Marathon Oil Company Attention: Mr. R. P. Meabon 1501 Stampede Avenue P. O. Box 2690 Cody, WY 82414 (307) 587-4961 Utah Division of Oil, Gas & Mining January 22, 1991 Page 2

Any bond in the name of TXO should be cancelled and all wells and properties shown on the attached Exhibit "A" should be placed on Marathon's statewide bond for the state of Utah.

Marathon respectfully requests that you acknowledge your receipt of this letter by signing the enclosed duplicate original of this letter in the space provided below, and returning it to me in the self-addressed, stamped envelope provided. Also, please provide Marathon with confirmation of the bond cancellations in accordance with the substitution requested above.

Marathon appreciates your patience and cooperation in this matter, and if Marathon can be of any further assistance, please feel free to contact this office.

this matter, and if Marathon can be of any futcher assistance, please feel free to contact this office.

Sincerely,

R. P. Meabon
Regulatory Coordinator
Rocky Mountain Region
Extension 3003

RPM:mh

Attachments

RECEIVED AND ACCEPTED THIS _____ DAY OF _____
1991, BY:

Governmental Agency or Department]


By
Name_____
Its

Title

UNITED STATES OF AMERICA, STATE OF OHIO, OFFICE OF THE SECRETARY OF STATE.

I, Sherrod Brown

do hereby certify that I am the duly elected, qualified and present acting Secretary of State for the State of Ohio, and as such have custody of the records of Ohio and Foreign corporations; that said records show an AGREEMENT OF MERGER of MARATHON PETROLEUM COMPANY, an Ohio corporation, Charter No. 7265, having its principal location in Findlay. County of Hancock, and incorporated on August 1, 1887, and TXO PRODUCTION CORP.. a Delaware corporation, having qualified to do business within the State of Ohio on November 2, 1983, under License No. 623328, into MARATHON OIL COMPANY, an Ohio corporation, Charter No. 584981, the survivor of said Merger, filed in this office on December 24, 1990, recorded in the Records of Incorporation. Said surviving corporation, MARATHON OIL COMPANY, an Ohio corporation, Charter No. 584981, having its principal location in Findlay, County of Hancock, was incorporated on November 18, 1981 and is currently in GOOD STANDING upon the records of this office.



WITNESS my hand and official seal at

Columbus, Ohio, this

28th day of

December

AD19 90

Sherrod Brown Secretary of State OGM-FYI - FROM CONNIE LARSON- TAX COMMISSION

iance Division



Findlay, Ohio 45840 Telephone 419/422-2121

January 23, 1991

N1580

TO WHOM IT MAY CONCERN:

Effective immediately after the close of business on December 31, 1990, TXO Production Corporation, taxpayer I.D. 75-1710388, a Delaware Corporation, was merged into Marathon Oil Company, taxpayer I.D. 25-1410539.

Following the merger, all business activity previously conducted by TXO Production Corporation will be conducted by and under the name of Marathon Oil Company.

> Marathon Oil Company Tax Organization

GRL:pah GRL100T

Send it copy to Dom 2-21-91

A subsidiary of USX Corporation

Copy sent to Master Sile Maril

Division	of Oil, Gas a OR CHANGE H	ond Mining ORKSHEET		e.			Routing:
		on received by the em when completed.		-	cable.		2- DT8D (S 3- VLC 4- RJF
	ge of Opera gnation of	tor (well sold) Operator		Designation of Operator Name			5- RWM // 6- LOR //e
The op	erator of tl	he well(s) list	ed below has	changed (EFFE	CTIVE DATE:	1-1-91)
TO (ne	w operator) (address)	MARATHON OIL COP. 0. BOX 2690 CODY, WY 8241		FROM (forme	r operator) (address)	TXO PRODUCE P. O. BOX CODY, WY	2690
		phone <u>(307) 5</u> account no. <u>N</u>		- - 		phone <u>(30</u>	7) 587-4961 0. <u>N 1580</u>
Hell(s) (attach addi	tional page if need	ded):	***MERGER***			
Name: Name: Name: Name:		HED** API API API API API API API API		Entity: _ Entity: _ Entity: _ Entity: _ Entity:	SecTw SecTw SecTw SecTw SecTw	pRng pRng pRng pRng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
PERAT	OR CHANGE DO	CUMENTATION					
.//	operator (ALLACH TO THIS I	TOTII). (See do	cumentation/			ved from <u>former</u>
fef-2.	(Rule R615- (Attach to	-8-10) Sundry o this form). <i>(Ru</i>	r othe <u>r lega</u> 2. 1-24-91)	al documentatio	on has been	received f	rom <u>new</u> operator
<u>N</u> A 3.	operating a	ment of Commercany wells in U	tah. Is coi	contacted if the mpany register	ne new opera ed with the	itor above state? (y	is not currently es/no) If
fer 4.	comments s	Tepnone Docume	ntation For form. Man	m to this re agement review	port). Mak of Federal	e note of	ling this change BLM status in un well operator
Lefs.	Changes hav	ve been entered ve. (2-26-91)	in the Oil	and Gas Inform	mation Syste	m (Wang/IB	M) for each well
fel 6.	Cardex file	has been updat	ted for each	well listed a	bove.		
م ال		labels have beer					
۸.	Changes hav	ve been include oution to State	d on the mo Lands and t	onthly "Operato he Tax Commiss	or, Address, ion.	and Accou	nt Changes" memo
Jorg.	A folder ha placed ther	as been set up re for reference	for the Ope	rator Change f	ile, and a ssing of the	copy of the original	is page has been documents.

CRATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicate	ole.
TITY REVIEW	
41. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed a entity changes made? (yes no) (If entity assignments were changed, attack Form 5, Entity Action Form).	bove. Were th <u>copies</u> of
1. State Lands and the Tax Commission have been notified through normal prentity changes.	ocedures of
ND VERIFICATION (Fee wells only)	
(Rule R615-3-1) The new operator of any fee lease well listed above has proper bond. C Fedical & State wells only!) (upon comple A copy of this form has been placed in the new and former operators' bond file	<i>,,,</i>
H3. The former operator has requested a release of liability from their bond (y Today's date <u>February 27</u> , 19 <u>91</u> . If yes, division response was made dated <u>Murch 1</u> , 19 <u>91</u> .	es no) <u>Ves</u> . by letter
ASE INTEREST OWNER NOTIFICATION RESPONSIBILITY (Rule R615-2-10) The former operator/lessee of any fee lease well listed about notified by letter dated	notify any ion of such
LMING	
RWM 1. All attachments to this form have been microfilmed. Date: March 11	19 <u>_9/_</u> .
LING The original of this form and the original attachments have been filed. Change file.	
MMENTS	
910204 Bfm/moab No doc. as of yet. (In the process of changing) will call w	hen approved.
BIm 15.4. Book Cliffs Unit, Oil Springs Unit, Marble Mansion Unit (Not approve	las of get
910204 St. Lands - No documentation as of yet. (lopy hand delivered 2-8-91) f.	· ·
910222 BAm/5.4 Approved 2-20-91 - OK for DOGM to recognize eff. date 1-1-9	1. (TThomoson)
910226 St. Lands - Needs additional into. "will lake 2-3 weeks". (Proceed with a	hange per DTS)

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM	APPRO	OVED	
B	udget Bure	au No.	1004-01	35
	Expires:	March	31. 1993	

BUREAU OF	LAND MANAGEMENT	5. Lease Designation and Serial No.
		U-10427
SUNDRY NOTICES	6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to dr		
Use "APPLICATION FO	R PERMIT—" for such proposals	
OUDING	7. If Unit or CA, Agreement Designation	
	IN TRIPLICATE	
1. Type of Well		1
Oil Gas Other		8. Well Name and No.
2. Name of Operator		Harvey Fed. No. 1-X
Lone Mountain Production	on Company	9. API Well No.
3. Address and Telephone No.		43-019-30574
P.O. Box 3394, Billings	s, MT 59103	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D		San Arroyo
1250' FSL, 2140' FEL, 5	Sec. 5-T16S-R25E	11. County or Parish, State
$(SW_4 SE_4)$		Grand County, Utah
		<u> </u>
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
•	X Other Change of Operator	f
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
	Il pertinent details, and give pertinent dates, including estimated date of starting	
give subsurface locations and measured and true vertice	cal depths for all markers and zones pertinent to this work.)*	
Iono Mountain Drodi	action Company has assumed opera	tions of the charge
	fective February 22, 1993. The	
Marathon Oil Compar		rormer operator was
Harachon off Compar	1 Y •	
Bond Coverage is n	covided by Lone Mountain's State	wide Oil & Gas
BLM Bond No. UT0719	<u>-</u>	wide oil a dab
	•	
Field Operations w	ill be handled by our Grand Junc	tion office.
<u>-</u>	-	
	e e	
,		
·		
14. I hereby certify that the foregoing is true and correct		
Signed James - Lowlan	Tide Petroleum Engineer	_{Date} <u>Feb. 22, 1993</u>
(This space for Federal or State office use)		
Approved by	Title	Dece
Approved by	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

	5. LEASE DESIGNATION 4 SERIAL NO.
	See Below
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reserv Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL GAS OTHER OF GENERAL OTHER	1. UNIT AGREEMENT NAME
1115	8. FARM OR LEASE NAME
Marathon Oil Company LADDRESS OF OPERATOR FFR. 9 5, 100	See Below
P.O. Box 2690, Cody, Wyoming 82414	9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirem DIVISION OF	See Below
	1 C - D 3
At proposed prod. zone See Below OIL GAS & MINII	VC
	SURVEY OR AREA
14. API NO.	See Below
15. ELEVATIONS (Snow whether Dr. RT., GR., etc.)	Grand and 13. STATE
See Below	Uintan Utah
check Appropriate Box To Indicate Nature of Notice, Rep	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF	
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREAT	
SHOOT OR ACIDIZE ABANDON SHOOTING OR ACI	
REPAIR WELL CHANGE PLANS (Other)	ABANDONSIENT"
(Note: Repo	ort results of multiple completion on Well
	n or Recompletion Report and Log form.)
	e accompanied by a cement verification report.
On 2/22/93 with an effective date of October 1, 1992, its rights, title and interests shown on Exhibit 'A' a	Marathon Oil Company sold all and 'B' to:
Lone Mountain Production Company P.O. Box 3394, 408 Production Bu Billings, Montana 59103-3394	/ uilding
By copy of this sundry notice to Lone Mountain Product advising that Lone Mountain Production Company is respleases and wells within the federal and state rules ar	nosible for operating these
•••	
Utah O&Gcc: WRF,RDS,CLB,RPM,KJI,TITLE AND CONTR(HOU)	,ACCTG.,CFR,LONE MTN. PROD.
18. I hereby certify that the foregoing is true and correct signed R.P. Meabon R.Woola TITLE Regulatory Coordi	nator DATE 2/23/93
(This space for Federal or State office use)	
APPROVED BYTITLE	

List of Properties sold by Marathon Oil Company to Lone Mountain Production Company, P.O. Box 3394, 408 Petroleum Building, Billings, Montana 59103-3394

WELL	LOCATION	LEASE	API #
North Horse Point F	ield		
Little Berry State	#1 SW/4 SW/4,Sec. 2-16S-23E	ML-21061	043-019-31075
BAR X West Field			040-019-310/3
Hancock Federal #2	NW/4 SW/4,Sec. 5-17S-25E	U-38720	043-019-30833
Bryson Canyon Field			043-013-30833
Hougen Federal A#1- TXO Pogo USA #19-9	St #1 SW/4 SW/4 Sec.14-17S-2 NE/4 SE/4,Sec. 15-17S-24E	24E U-42480 U-49535	043-019-30799 043-019-30779
East Canyon Field			
Callister Federal #: Ptasynski Federal #:	NW/4 SE/4 Sec. 24-16S-24E NE/4 NW/4 Sec. 15-17S-23E	U-38363 U-24603-A	043-019-30857 043-019-30780
Horseshoe Bend Field	d		272 223 30700
Bridle Federal #1 Bridle Federal #2 Bridle Federal #3 Bridle Federal #4 Broquet Federal #1 Broquet Federal #2 Broquet Federal #3 Brotball Fed #29-4 Bhuffleboard Fed #1 Bitirrup Fed. #28-1 Bitirrup Fed. #29-2 Bitirrup Fed. #29-3 Bitirrup State #32-1 Bitirrup State #32-4 Ockhouse Field	SW/4 SW/4 Sec. 34-6S-22E NE/4 SE/4 Sec. 34-6S-22E SE/4 NE/4 Sec. 34-6S-22E SE/4 NE/4 Sec. 34-6S-22E SE/4 NE/4 Sec. 35-6S-21E NE/4 SE/4 Sec. 35-6S-21E NE/4 NW/4 Sec. 29-6S-21E NE/4 NW/4 Sec. 27-6S-21E NE/4 NE/4 Sec. 28-6S-21E NW/4 SW/4 Sec. 29-6S-21E NW/4 SE/4 Sec. 29-6S-21E SE/4 SE/4 Sec. 29-6S-21E NW/4 NE/4 Sec. 32-6S-21E NW/4 NE/4 Sec. 32-6S-21E NW/4 NE/4 Sec. 32-6S-21E	U-47866 U-47866 U-47866 U-47866 U-53862 U-53862 U-53862 U-46699 U-31255 U-34711 U-46699 U-46699 ML-22036 ML-22036	043-047-31533 043-047-31655 043-047-31678 043-047-31866 043-047-31672 043-047-31867 043-047-31883 043-047-31668 043-047-31508 043-047-31508 043-047-31557 043-047-31634 043-047-31636 043-047-31636 043-047-31636
racker Fed. #1 racker Fed. #2 racker Fed. #3 racker Fed. #4 arble Mansion #1 ells Fed. A #1	SE/4 NE/4 Sec. 8-11S-23E SE/4 SE/4 Sec. 8-11S-23E SW/4 SE/4 Sec. 5-11S-23E SE/4 NE/4 Sec. 7-11S-23E SE/4 SE/4 Sec. 18-11S-23E SW/4 SE/4 Sec. 12-11S-23E	U-54197 U-54197 U-54193 U-54196 U-54201 U-54198	043-047-31532 043-047-31690 043-047-31689 043-047-31748 043-047-31865 043-047-31603

Exhibit 'B' Page 1 of 2 Utah sale

San Arroyo Field

Arco Fed. B #1 Arco Fed. C #1 Arco Fed. D #1 Arco Fed. H #1 Bennion Fed. #1 BMG Fed. #2 BMG Fed. #2 BMG Fed. #3 BMG Fed. #4 BMG Fed. #5 BMG Fed. #5 BMG Fed. #7 Bookcliffs #1 Bookcliffs #1 Credo Fed. A #1 Credo Fed. A #1 Credo Fed. A #1 Lauck Fed. A #1 Lauck Fed. #2 Moxa Fed. #1 Nicor Fed. #1 Nicor Fed. #1 Nicor Fed. #2 Texas Pac St #1 Texas Pac St #2 Valentine Fed. #3 Wall Fed. #1 Oil Springs Field Oil Springs #5	SE/4 SE/4 Sec NW/4 NW/4 Sec NE/4 SW/4 Sec NE/4 NW/4 Sec NE/4 NW/4 Sec SW/4 SW/4 Sec SW/4 SW/4 Sec SW/4 SW/4 Sec NW/4 SE/4 Sec SE/4 SE/4 Sec SE/4 SE/4 Sec SE/4 SW/4 Sec SE/4 SW/4 Sec NE/4 SW/4 Sec NW/4 SE/4 Sec NW/4 SW/4 Sec NW/4 SE/4 Sec NW/4 NE/4 Sec NW/4 SW/4 Sec	. 35-16S-25E . 34-16S-25E . 12-16S-25E . 30-16S-25E . 8-16S-26E . 8-16S-26E . 8-16S-26E . 17-16S-26E . 17-16S-26E . 32-18S-22E . 33-18S-22E . 5-16S-25E . 29-16S-25E . 29-16S-25E . 29-16S-25E . 29-16S-25E . 33-16S-25E . 33-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E . 35-16S-25E	U-9831 U-06188-B U-29645 U-0126528 U-24632 U-05015 U-05015-A U-05015-A U-05015-A U-05015-A U-036905 U-036905 U-24638 U-24638 U-13653 U-10427 U-34033 U-24638 U-24638 U-24638 U-24638 U-38276 U-38276 U-38276 U-38276 U-38276 U-38276 U-24632	043-019-30552 043-019-30578 043-019-30578 043-019-31002 043-019-31017 043-019-31108 043-019-31130 043-019-31131 043-019-31183 043-019-3183 043-019-15410 043-019-15411 043-019-30797 043-019-30798 043-019-30657 043-019-30657 043-019-30698 043-019-30698 043-019-30698 043-019-30634 043-019-30639 043-019-30639 043-019-30639 043-019-30639 043-019-30640 043-019-31009 043-019-30838
Oil Springs #7 Oil Springs #10	SE/4 SW/4 Sec. NE/4 NE/4 Sec.	4-12S-24F	U-08424-A U-08424-A U-08424-A	043-047-15930 043-047-31248 043-047-31656
Evacuation Creek Fiel				
Judie W MI	NE/4 NE/4 Sec.		ML-28043	043-047-31674
Evacuation Cr.#23-2-1 Evacuation Creek State #1	NE/4 SW/4 Sec. SE/4 SW/4 Sec.		ML-28043 ML-39868	043-047-15675 043-047-31307

LONE MOUNTAIN PRODUCTION COMPANY

P.O. BOX 3394 408 PETROLEUM BUILDING BILLINGS, MONTANA 59103-3394 (406) 245-5077 FAX 248-6321

February 22, 1993

State of Utah Dept. of Natural Resources Division of Oil, Gas, & Mining 3 Triad Center, Suite 350 Salt Lake City, Utah 84180

Re: Change of Operator

Sundry Notices

Grand and Uintah Counties, Utah

Gentlemen:

Enclosed in triplicate are Sundry Notices for 53 wells located on Federal lands in Utah for which Lone Mountain Production Company is assuming operations effective February 22, 1993. Two separate lists of the wells and lease numbers, by sorted by BLM district, are attached. The wells were all previously operated by Marathon Oil Company. If any further information is needed please advise either me or Joe Dyk in our Grand Junction office.

Very truly yours,

Lone Mountain Production Company

James G. Routson

President

Enclosures

xc: Joe Dyk Marathon PECENTED

FEB 2 5 1993

DIVISION OF OIL GAS & MINING

UTAH FEDERAL WELLS

MOAB BLM DISTRICT

WELL	LEASE NO.	LOCATION
Bookcliffs Unit No. 1	U-036905	SE‡ SE‡ Sec. 32-T18S-R22E
Bookcliffs Unit No. 3	U-036905	Sw4 NE4 Sec. 33-T18S-R22E
Hancock Fed. No. 2	U-38720	NW1 SW1 Sec. 5-T17S-R25E
Hougen Fed. No. A-1	U-42480	SW1 SW1 Sec. 14-T17S-R24E
TXO-POGO-USA No. 15-9	U-49535	NE‡ SE‡ Sec. 15-T17S-R24E
Callister Fed. No. 1	U-38363	NW1 SE1 Sec. 24-T16S-R24E
Ptasynski Fed. No. 1	U-24603-A	NE NW Sec. 15-T17S-R23E
Arco Fed. B No. 1	U-9831	SE‡ SE‡ Sec. 6-T16S-R25E
Arco Fed. C No. 1	U-06188-B	NW1 NW1 Sec. 35-T16S-R25E
Arco Fed. D No. 1	U-29645	NE ₁ SE ₁ Sec. 34-T16S-R25E
Arco Fed. H No. 1	U-0126528	NW4 SW4 Sec. 12-T16S-R25E
Grynberg Fed. No. 1	U-13653	NE4 SW4 Sec. 28-T16S-R25E
Lauck Fed. A No. 1	U-34033	SE‡ SE‡ Sec. 29-T16S-R25E
Lauck Fed. No. 2	U-34033	NW4 SW4 Sec. 29-T16S-R25E
Nicor Fed. No. 1	U-31807	NW1 NE1 Sec. 28-T16S-R25E
Nicor Fed. No. 2	U-13653	NW4 NE4 Sec. $33-T16S-R25E$
Valentine Fed. No. 1	U-38276	SE1 SW1 Sec. 35-T16S-R25E
Valentine Fed. No. 2	U-38276	SE‡ NW‡ Sec. 34-T16S-R25E
Valentine Fed. No. 3	U-38276	SE‡ SW‡ Sec. 35-T16S-R25E
Wall Fed. No. 1	U-24632	NE1 SW1 Sec. 30-T16S-R25E
Bennion Fed. No. 1	U-24632	NE‡ NW‡ Sec. 30-T16S-R25E
Harvey Fed. No. 1-X	U-10427	Sw1 SE1 Sec. 5-T16S-R25E

UTAH FEDERAL WELLS

MOAB BLM DISTRICT

WELL	LEASE NO.	LOCATION
BMG Fed. No. 1	U-05015	NE‡ NW‡ Sec. 8-T16S-R26E
BMG Fed. No. 2	U-05015	SW‡ SW‡ Sec. 8-T16S-R26E
BMG Fed. No. 3	U-05015-A	SW1 SW1 Sec. 18-T16S-R26E
BMG Fed. No. 4	U-05015-A	NW1 NW1 Sec. 17-T16S-R26E
BMG Fed. No. 5	U-05015-A	NW1 SW1 Sec. 18-T16S-R26E
BMG Fed. No. 7	U-05015-A	NW# SE# Sec. 17-T16S-R26E
Credo Fed. No. 1	U-24638	NET SET Sec. 5-T16S-R26E
Credo Fed. A No. 1	U-24638	SE‡ NW‡ Sec. 5-T16S-R26E
Moxa Fed. No. 1	U-24638	SW1 SW1 Sec. 9-T16S-R26E
Moxa Fed. A No. 1	U-24638	NE‡ SE‡ Sec. 4-T16S-R26E

UTAH FEDERAL WELLS

VERNAL BLM DISTRICT



FEB 2 5 1993

DIVISION OF OIL GAS & MINING

WELL	LEASE NO.	LOCATION				
Shuffleboard Fed. No. 1	U-31255	NE4 NE4 Sec. 27-T6S-R21E				
Stirrup Fed. No. 28-1	U-34711	NW1 SW1 Sec. 28-T6S-R21E				
Stirrup Fed. No. 29-2	U-46699	NW1 SE1 Sec. 29-T6S-R21E				
Stirrup Fed. No. 29-3	U-46699	SE‡ SE‡ Sec. 29-T6S-R21E				
Football Fed. No. 29-4	U-46699	SE‡ SW‡ Sec. 29-T6S-R21E				
Croquet Fed. No. 1	U-53862	SE‡ NE‡ Sec. 35-T6S-R21E				
Croquet Fed. No. 2	U-53862	NE SE Sec. 35-T6S-R21E				
Croquet Fed. No. 3	U-53862	NE NW Sec. 35-T6S-R21E				
Bridle Fed. No. 1	U-47866	SW1 SW1 Sec. 34-T6S-R22E				
Bridle Fed. No. 2	U-47866	NE1 SE1 Sec. 34-T6S-R22E				
Bridle Fed. No. 3	U-47866	SW1 NW1 Sec. 34-T6S-R22E				
Bridle Fed. No. 4	U-47866	SE1 NE1 Sec. 34-T6S-R22E				
Cracker Fed. No. 1	U-54197	SE4 NE4 Sec. 8-T11S-R23E				
Cracker Fed. No. 2	U-54197	SE‡ SE‡ Sec. 8-T11S-R23E				
Cracker Fed. No. 3	U-54193	SW1 SE1 Sec. 5-T11S-R23E				
Cracker Fed. No. 4	U-54196	SE‡ NE‡ Sec. 7-T11S-R23E				
Marble Mansion Unit #1	U-54201	SE4 SE4 Sec. 18-T11S-R23E				
Wells Fed. A No. 1	U-54198	SW1 SE1 Sec. 12-T11S-R23E				
Oil Springs Unit #5	U-08424-A	NE4 SW4 Sec. 5-T12S-R24E				
Oil Springs Unit #7	U-08424-A	SE1 SW1 Sec. 4-T12S-R24E				
Oil Springs Unit #10	U-08424-A	$NE_{\frac{1}{2}}$ $NE_{\frac{1}{2}}$ Sec. 5-T12S-R24E				

UTAH STATE WELLS

WELL	LEASE NO.	LOCATION
		•
Texas Pacific No. 1	ML-4468-A	NW1 SE1 Sec. 36-T16S-R25E Grand County
Texas Pacific No. 2	ML-4468-A	SW1 SW1 Sec. 36-T16S-R25E Grand County
Little Berry No. 1	ML-21061	SW1 SW1 Sec. 2-T16S-R23E Grand County
Evacuation Creek No. 1	ML-39868	SE‡ SW‡ Sec. 36.T11S-R25E Uintah County
Evacuation Creek A No. 1	ML-28043	NE ¹ NE ¹ Sec. 2-T12S-R25E Uintah County
Evacuation Creek 23-2-1	ML-28043	NE4 SW4 Sec. 2-T12S-R25E Uintah County
Stirrup No. 32-1	ML-22036	NW1 NE1 Sec. 32.T6S-R21E Uintah County
Stirrup No. 32-2	ML-22036	SE1 NE1 Sec. 32.T6S-R21E Uintah County
Stirrup No. 32-4	ML-22036	NW1 NE1 Sec. 32.T6S-R21E Uintah County

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED					
Budget Bureau No. 1004-0135					
Expires: March 31, 1993					

5. Lease Designation and Serial No.


ı	τ	r	7	\sim	A	ń	-
i	·	, —	1	. U	4	1.	_/

1. Type of Well Oil X Well Other	If Unit or CA, Agreement Designation /ell Name and No. ATVEY Fed. No. 1-X PI Well No.	
Coll	rvey Fed. No. 1-X	
Lone Mountain Production Company 3. Address and Telephone No. P.O. Box 3394, Billings, MT 59103 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1250' FSL, 2140' FEL, Sec. 5-T16S-R25E (SW ¹ / ₄ SE ¹ / ₄) Gr		
P.O. Box 3394, Billings, MT 59103 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1250' FSL, 2140' FEL, Sec. 5-T16S-R25E (SW ¹ / ₄ SE ¹ / ₄) Gr		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1250' FSL, 2140' FEL, Sec. 5-T16S-R25E (SW-4 SE-4) Gr	Field and Pool, or Exploratory Area	
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, C	San Arroyo 11. County or Parish, State Grand County, Utah	
	OR OTHER DATA	
TYPE OF SUBMISSION TYPE OF ACTION		
Notice of Intent Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Change of Operator (Notice) 3. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any present the proposed of the complete of the co	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off	

Lone Mountain Production Company has assumed operations of the above referenced well effective February 22, 1993. The former operator was Marathon Oil Company.

Bond Coverage is provided by Lone Mountain's Statewide Oil & Gas BLM Bond No. UT0719.

Field Operations will be handled by our Grand Junction office.



MAR 1 5 1995

·	IVISION OF SAS & MINING	
Signed Petroleum Engineer	•	Feb. 22, 1993
(This space for Federal or State office use) Approved by Conditions of approval, if any: ACTING ACTING Title ic: Minerals	Date _	MAR 1 0 1993
CONDITIONS OF ADDROVA, ATTACH	PC	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Lone Mountain Production Company Well No. Harvey Fed. 1-X SWSE Sec. 5, T. 16 S., R. 25 E. Grand County, Utah Lease U-10427


CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Lone Mountain Production Company is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0719 (Principal - Lone Mountain Production Company) via surety consent as provided for in 43 CFR 3104.2.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.



DIVISION OF OIL GAS & MINING

	o∮0il, Gas a OR CH∧NGE H						!		Routi	ng: 7-1.KC
			y the division re eted. Write N/A			ble.			2- D J 3- V I	2015
	ge of Opera Ination of		sold)	□ Designa □ Operator			ly			M i
The ope	rator of th	he well(s)	listed below	has changed	(EFFECT	TIVE DAT	E: <u>2</u> –	22–93)	
TO (new		PO BOX 339	PRODUCTION CO 94 MT 59103-3394		(former	operator (address	s) <u>PO B</u>)	water trade.
			6) 245–5077). N 7210				•	e <u>(307</u> unt no		4961 90
Hell(s)	(attach addi	itional page i	f needed):				<i>s</i> .			•
Name:_ Name:_ Name:_ Name:_ Name:_			API: API: API: API: API: API:	Entity Entity Entity Entity Entity Entity	/	_ Sec _ Sec _ Sec _ Sec	TwpR TwpR TwpR TwpR TwpR	ng ng ng ng	Lease Lease Lease Lease Lease Lease	Гуре: Гуре: Гуре:
OPERATO	OR CHANGE D	OCUMENTATIO	ON							÷.
f)	operator (Attach to t	ndry or other this form). <i>(f</i>	ed 2-25-93)						
<u>ke</u> 2.	(Rule R615 (Attach to	-8-10) Sund this form)	dry or other <u>1</u> 0. <i>Cheld 2-25-98</i>	egal docum	entation	has bee	en rece	ived fr	om <u>nev</u>	v operator
,	operating ves. show	any wells company fil	nmerce has bee in Utah. Is le number:	company re	gistered	d with t	he sta [.]	te? (ye	es/no)	If
	comments s	ection of	eral Wells ON ocumentation this form. I	Management	review	of Feder	ral and	India	n well	operator
<u>ke</u> 5.	Changes ha listed abo	ve been en ve. <i>(3-16-43</i>	place prior to tered in the (Oil and Gas	Informa	ation Sys	stem (W	ang/IBN	1) for	each well
<u>fec</u> 6.	Cardex fil	e has been	updated for e	ach well li	isted abo	ove. (3-16	(-93)			
1	men ille	idue is lidve	e been upuateu	ioi each y	AGII 112	ted abov	e. [3-16			
í	for distri	bution to	cluded on the State Lands an	d the lax (Commissi	on . (3-16-	93)			
<u>lec</u> 9.	A folder h placed the	as been se re for refe	t up for the erence during	Operator Cl routing and	hange fi I proces	le, and sing of	a copy the ori	of thi ginal	is page docume	e has been nts.